Write a program for The Department of Motor Vehicles (DMV) to calculate the registration fees for automobiles. The DMV classifies automobiles as type 1, for luxury, or as type 2, for all others. The registration fee for an automobile is \$35.00. If the automobile is a luxury vehicle, add a surcharge of \$15.00. The DMV also classifies automobiles as city vehicles (class 1) or non-city vehicles (class 2). An automobile that is registered in the city of Metropolis must pay an additional surcharge of \$20.00, no matter what its type. Your program should prompt the user for the luxury type (either 1 or 2) and for the city class (either 1 or 2) of the automobile. The program should display the total registration fee for the vehicle. Design the program to process any number of automobiles.

```
#include <iostream>
using namespace std;
int main()
{
  int num, type, clas, fee = 35;
  cout << "Enter The number of automobiles: ";
  cin >> num;
  cout << "\nEnter The DMV classifies automobiles \n";</pre>
  cout << "1.luxury\n2.Normal \n";</pre>
  cin >> type;
  cout << "\nEnter The DMV classifies automobiles \n";
  cout << "1.city\n2.non-city \n";</pre>
  cin >> clas;
  if(type==1)
    fee+=15;
    if(clas==1)
      fee+=20;
    fee*=num;//the total registration fee for the num of vehicle
  }
  else
   if(clas==1)
      fee+=20;
```



```
fee*=num;//the total registration fee for the num of vehicle
}
cout << "\nthe total registration fee for the vehicle: " << fee <<endl;
return 0;
}</pre>
```

Write a program for a mail-order software company to calculate shipping and handling charges for its orders. The program should prompt the user for the weight of the order in ounces. If the weight is eight ounces or less, then there is a flat rate charge of \$1.50. If the weight of the order is more than eight ounces but less than 32 ounces, the charge is \$1.50 plus \$0.50 for each ounce over eight. If the weight of the order is 32 ounces or greater, the charge is \$13.50 plus \$0.75 for each ounce over 32. The program should display the weight of the order and the shipping and handling charge. Design the program to process any number of orders. At the end of the program, display the total number of orders processed and the total of the shipping and handling charges.

```
#include <iostream>
using namespace std;
int main()
  float weight, charge, total charges=0, num of order=0;
  char R_order;
  cout << "\nEnter the weight of the order in ounces: ";
  cin >> weight;
  if(weight<=8)
  {
    charge=1.5;
  else if(weight>8&&weight<32)
   float over weight=(weight-8)*0.5;
   charge=1.5+over_weight;
  else if(weight>=32)
   float over weight=(weight-32)*0.75;
   charge=13.5+over weight;
  cout << "\nthe weight of the order: " << weight <<endl;</pre>
  cout << "\nthe shipping and handling charge: " << charge <<endl;</pre>
  total charges+=charge;
  num of order++;
  cout << "\nto order again (y) or not (n): ";</pre>
  cin >> R order;
  if(R_order=='y'||R_order=='Y')
    goto R:
  cout << "\nthe total number of orders: " << num_of_order <<endl;</pre>
```



```
cout << "\nthe total of the shipping and handling charges: " << total_charges <<endl;
return 0;
}</pre>
```

The Big Racket Tennis Club wants you to write a program to calculate the yearly dues for its members. The program should prompt the user for the membership type (either 'I' for individual, or 'F' for family) and the number of years the person has been a member. Calculate the dues as follows: If the person is a family member and has been a club member for more than three years, the dues are \$2400.00. If the person is a family member and has been a club member for three years or less, the dues are \$3000.00. If the person is an individual member and has been a club member for more than five years, the dues are \$1500.00. If the person is an individual member and has been a club member for five years or less, the dues are \$1900.00.

```
#include <iostream>
using namespace std;
int main()
  int years, dues;
  char type;
  cout << "\nEnter the membership type \n";</pre>
  cout << "I.individual\nF.family \n";</pre>
  cin >> type;
  cout << "\nthe number of years the person has been a member: ";
  cin >> years;
  if(type=='i'||type=='I')
     if(years>5)
       dues=1500;
     else if (years<=5)
       dues=1900;
  else if(type=='f'||type=='F')
     if(years>3)
       dues=2400;
     else if (years<=3)
       dues=3000;
  cout << "\nthe yearly dues for its members: " << dues <<endl;</pre>
return 0;
}
```

